


**AMENDMENTS TO THE CLAIMS**

1. (Previously Presented) A fungicidal mixture comprising


1) the triazolopyrimidine derivative of the formula I,



I

and


2) a strobilurin derivative II, selected from among the compounds  
pyraclostrobin II-1



II-1

and

orysastrobin II-4



II-2

and

- 3) a fungicidally active compound III selected from the group of the azoles:

bitertanol, bromoconazole, cyproconazole, difenoconazole, dinitroconazole, enilconazole, epoxiconazole, fenbuconazole, fluquinconazole, flusilazole, flutriafol, hexaconazole, imazalil, ipconazole, metconazole, myclobutanil, penconazole, propiconazole, prochloraz, prothioconazole, simeconazole, tebuconazole, tetraconazole, triadimefon, triadimenol, triflumizole, triticonazole,

in a synergistically effective amount.

2. (Previously Presented) A fungicidal mixture comprising the compounds of the formulae I, II and III according to claim 1 in a weight ratio of from 100:1:5 to 1:100:20.
3. (Currently Amended) The fungicidal mixture according to claim 1 ~~or 2~~ comprising, as strobilurin derivative II, pyraclostrobin II-1.
4. (Currently Amended) The fungicidal mixture according to claim 1 ~~or 2~~ comprising, as strobilurin derivative II, orysastrobin II-2.
5. (Currently Amended) The fungicidal mixture according to ~~any of the preceding claims~~ claim 1, comprising, as fungicidally active compound III, a compound from the group consisting of epoxiconazole, metconazole and prochloraz.

6. (Currently Amended) A composition comprising a solid or liquid carrier and a mixture according to ~~any of the preceding claims~~ claim 1.
7. (Currently Amended) A method for controlling harmful fungi, which method comprises treating the fungi, their habitat or the seed, the soil or the plants to be protected against fungal attack with an effective amount of the mixture of compounds I, II and a compound III according to claim 1 or of the composition ~~according to claim 6~~.
8. (Currently Amended) The method according to claim 7, wherein the compounds I, II and III ~~according to claim 1~~ are applied simultaneously, that is jointly or separately, or in succession.
9. (Currently Amended) The method according to claim 7, wherein the mixture ~~according to any of claims 1 to 4 or the composition according to claim 6~~ is applied in an amount of from 5 g/ha to 2500 g/ha.
10. (Currently Amended) The method according to claim 7 ~~or 8~~, wherein the mixture ~~according to any of claims 1 to 4 or the composition according to claim 6~~ is applied in an amount of from 1 to 1000 g/100 kg of seed.

11. (Currently Amended) Seed comprising the mixture according to ~~any of claims 1 to 4~~  
claim 1 in an amount of from 1 to 1000 g/100 kg.
12. (Previously Presented) The use of the compounds I, II and a compound III according to  
claim 1 for preparing a composition suitable for controlling harmful fungi.
13. (New) The fungicidal mixture according to claim 2 comprising, as strobilurin derivative  
II, pyraclostrobin II-1.
14. (New) The fungicidal mixture according to claim 2 comprising, as strobilurin derivative  
II, orysastrobin II-2.
15. (New) The fungicidal mixture according to claim 2, comprising, as fungicidally active  
compound III, a compound from the group consisting of epoxiconazole, metconazole and  
prochloraz.
16. (New) The fungicidal mixture according to claim 3, comprising, as fungicidally active  
compound III, a compound from the group consisting of epoxiconazole, metconazole and  
prochloraz.

17. (New) The fungicidal mixture according to claim 4, comprising, as fungicidally active compound III, a compound from the group consisting of epoxiconazole, metconazole and prochloraz.
18. (New) A composition comprising a solid or liquid carrier and a mixture according to claim 2.
19. (New) A composition comprising a solid or liquid carrier and a mixture according to claim 3.
20. (New) A composition comprising a solid or liquid carrier and a mixture according to claim 4.